

FORMERLY BIBLIOGRAPHY
OF INDIAN FISHERIES

INDIAN FISHERIES ABSTRACTS



Volume 21 No. 1

January-March 1982

CENTRAL INLAND FISHERIES RESEARCH INSTITUTE
BARRACKPORE, WEST BENGAL

INDIAN FISHERIES ABSTRACTS

(Formerly Bibliography of Indian Fisheries)

Volume : 21, No.1

January - March, 1982

Compiled & } Abstracted }	by : D.D. Halder G.K. Vinci V.V. Sugunan V.K. Unnithan M.J. Bhagat	Bibliographic } details & } Indexing }	by : Anjali De
------------------------------	--	--	----------------

Typing : Samir Kumar Roy

A service from
The Information Section
Central Inland Fisheries Research Institute
Barrackpore, Pin : 743 101

INDIAN FISHERIES ABSTRACTS

(Indian Fish. Abstr.)

CONTENTS

I	Entries	1 - 27
II	Author Index	A ₁ - A ₅
III	Subject Index	S ₁ - S ₃
IV	Taxonomic Index	T ₁ - T ₅
V	Serial Index	P ₁ - P ₂

I. ENTRIES

1. Anand, C.P., 1981

(College of Fisheries, University of Agricultural Sciences, Mangalore-575 002, India).

Studies on the chemical control of Psychrophilic bacterial spoilage of fish. ii The effect of antibiotics on the growth of psychrophilic bacteria isolated from marine fish.

Fish Technol., 18(1) : 44-45.

Among the various antibiotics tried tetracyclines particularly chloro-tetracycline (CTC), chloramphenicol and chlorostrep were found to be fairly effective at 8 to 10 ppm levels. A few resistant organisms and the useful combinations of anti-biotics for commercial application are discussed. 12 ref.

2. Anand, C.P. & T.M. Rudra Setty, 1981

(College of Fisheries, University of Agricultural Science, Mangalore-575 002, India).

Studies on the chemical control of psychrophilic bacterial spoilage of fish. III The effect of chemical preservatives on the growth of psychrophilic bacteria isolated from marine fish.

Fish. Technol., 18(1) : 47-53.

Dehydroacetic acid and ammonia were found to be very effective in checking the growth of all the cultures at all concentrations tried. The two nitro-furan derivatives namely, semicarbozone and AF-2 were fairly effective. 14 ref.

3. _____, 1980

(College of Fisheries, University of Agricultural Science, Mangalore-575 002, India).

Studies on the chemical control of psychrophilic bacterial spoilage of fish. IV The effect of chemical preservatives on the growth of psychrophilic bacteria isolated from marine fish.

Fish. Technol., 18(1) : 55-57.

Dehydroacetic acid and ammonia were found to be very effective in checking the growth of all the cultures at all concentrations tried.

4. Anon, 1981

Cheaper wooden fishing boats.
Fishing Chimes, 1(8) : 34-36.

Research at the Central Institute of Fisheries Technology has shown that it is possible to save as much as 35% of the total cost of a boat by replacing the conventional construction material with cheaper ones.

5. Aravindakshar, M.

(Central Marine Fisheries Research Institute Substation, Bombay).

Shark attacks in Indian seas.

Seafd. Export J., 13(11) : 29-30.

6. Aziz, Abdul, 1980

(Dept. of Aquatic Biology, University of Kerala, Trivandrum).

Ecology of the retting grounds in the back water systems of Kerala.

Vijana Poshini, 1(1) : 40-59. (Abstract in English)

Among others pollution problems, oxidation of organic matter and liberation of hydrogen sulphide create an ecosystem of microaerobic and anaerobic properties seriously affecting the fisheries. The nature, significance and consequences of this problem are examined in detail and their effects on fisheries are discussed. 2 ref.

7. Baliga, B.B., 1981

(Member, Editorial Board of Science & Culture, 92, Acharya Prafulla Chandra Road, Calcutta-700 009).
 Ocean bed prospecting.

Sci. & Cult., 47(9) : 309-311.

Described in detail about the Manganese nodules and its recent location by R.V. Gaveshini of National Institute of Oceanography in the Seychelles basin of Indian Ocean.

8. Barrackpore Central Inland Fisheries Research
Institute, 1979
Annual Report, 1979 : 132p.

9. _____, 1981
Fourth workshop, All India Co-ordinated Research
Project, Brackishwater Fish Farming 24-25 October,
1981 at Kakinada Centre of the Andhra Pradesh
Agricultural University jointly organised by Central
Inland Fisheries Research Institute and Andhra
Pradesh Agricultural University (Mimco).

10. _____, 1981
Summer Institute on Farming Systems integrating
Agriculture livestock and fish culture.
Barrackpore 6 July - 4 August, 1981.

11. Bhukaswan, Thiraphan, 1980.
(Dept. of Fisheries, Ministry of Agriculture and
Co-operations, Bangkok, Thailand).
Management of Asian reservoirs fisheries.
FAO Fisheries Technical paper 207, (FARI/T207)
FAO, Rome : 69p.

It provides a synthesis of information of fish
population studies, including predictions of fish potential
yield, alternatives for management of fish populations and
for management of the habitat.

12. Buch, A.V. & K.R. Narayanan, 1981
(Fisheries Department, Ahmedabad).
A preliminary account of marine fish seed resources
of Okhamandal.
Seafd. Export J., 13(11) : 25-27.
2 ref.

13. Chandrasekaran, G. Edwin, 1979
(CAS in Marine Biology, Porto Novo 6085202).
Forked barbel and absence of pelvic fin in marine
catfishes of the family Acriidae.
Matsya, 5 : 78-79.
6 ref.

14. Chandrasekaran, G & B. Subba Rao, 1979.
(Hydrobiological Research Station, Tamil Nadu,
Fisheries Department, Ootacamund).
On the growth and survival of rainbow trout reared
in stagnant pond at higher water temperature and
low dissolved oxygen.
Matsya, 5 : 35-37.
- A continuous twelve month experiment for rearing the
trouts in stagnant pond was carried out. The trouts survived
a maximum water temperature of 29°C and the lowest dissolved
oxygen of 3.9 ppm. They grew to 60 g. in a year without
artificial feed. 4 ref.
15. Chattopadhyay, G.N. & L.N. Mondal, 1980.
(1. CIFRI, Barrackpore, West Bengal
2. Bidhan Chandra Krishi Viswa Vidyalaya, Kalyani,
West Bengal).
Distribution of different inorganic forms of phos-
phorus in some brackishwater fish pond soil of West
Bengal.
J. Inland Fish. Soc. India, 12(1) : 25-29.
12 ref.
16. Chaudhuri, D.R., S.K. Bhattacharya & A.N. Bose, 1981.
(Dept. of Food Technology & Biochemical Engineering,
Jadavpur University, Calcutta-700 032).
Prediction of drained weight in canned prawn under
commercial conditions.
Fish. Technol., 18(1) : 59-60.
- The general formula for the prediction of drained
weight of canned prawn processed under laboratory condition
has been modified. 2 ref.
17. Chaudhury, M., R. Chandra, H.P. Singh & V. Kolekar, 1980.
(Brahmaputra Survey Unit of the CIFRI, Gauhati-3,
Assam).
On the trend and seasonal indices of fish catch
statistics at Uzanbazar (Gauhati) landing centre.
J. Inland Fish. Soc. India, 12(1) : 92-99.

A decreasing trend of the landings has been observed. The catches were highest during post-monsoon months and lowest during monsoon months. The highest and lowest monthly indices are in October and July respectively. 10 ref.

18. Chhaya, N.D., A.C. Buch & K.R. Narayanan, 1979.
 (Marine Biological Research Station, Port Okha).
 Observations on the fisheries of mullet and scope for its culture in Gulf of Kutch.
Indian J. Fish. 26(1-2) : 47-51.
 8 ref.

19. Chonder, S.L., 1979.
 (Inland Fisheries Training Centre of the Central Institute of Fisheries Education, Barrackpore, West Bengal).
 'Curved - Normal' vertebral mutants in Cirrhina mrigala.
Indian J. Fish., 26(1-2) : 232-236.

 Reports for the first time the occurrence of curved and normal vertebral mutations in hypophysed C. mrigala fry. 7 ref.

20. Das, P., D. Kumar, A.K. Ghosh, D.P. Chakraborty & U. Bhawmick, 1980.
 (Central Inland Fisheries Research Institute, Barrackpore).
 High yield of Indian major carps against encountered hazards in a demonstration pond.
J. Inland Fish. Soc. India, 12(1) : 70-78.
 17 ref.

21. De, D.K., 1980
 (Central Inland Fisheries Research Institute, Barrackpore).
 Maturity fecundity and spawning of post-monsoon run of Hilsa. Hilsa ilisha (Hamilton) on the upper stretches of the Hooghly estuarine system.
J. Inland Fish. Soc. India, 12(1) : 54-63.
 22 ref.

22. Desai, S.S., 1980
(Assistant Director of Fisheries, Raigad, Alibag 402 202, Maharashtra).
On estimation of yield from culture fishery.
J. Inland Fish. Soc. India, 12(1) : 44-53.

Statistical data of 335 water sheets from six states in India covering nearly 3,00,000 ha water spread area is analysed to correlate yield with area. Probable effects of stocking on yield is discussed. 9 ref.

23. Devadoss, P. & P.K. Mahadevan Pillai, 1979.
(Central Marine Fisheries Research Institute Centre, Mangalore).
Observations on the food and feeding habits of the eel, Muraenesox cinereus (Forsk.) from Porto Novo.
Indian J. Fish., 26(1-2) : 244-247.
4 ref.

24. Dhulkhed, M.H. & K Uma Kumari, 1979.
(Mangalore Research Centre of Central Marine Fisheries Research Institute, Mangalore).
Relative abundance of age groups of oil sardine and its effect on fishery of Mangalore area.
Indian J. Fish., 26(1-2) : 40-46.

The oil sardine fishery appeared to be good when the 0 and 1 yr groups were equally and continually represented in the catches. The estimated average rate of instantaneous rate of mortality was 1.87. 13 ref.

25. D.V. Uma Devi & K. Shyamasundari, 1980.
(Dept. of Zoology, Andhra University, Waltair-530 003).
Studies of the cepepod parasites of fishes of the Waltair Coast : Family Taeniacanthidae.
Crustaceana, 39(2) : 197-208.

Eight species belonging to the family Taeniacanthidae were recorded, of which five are new to science. 10 ref.

26. Ghosh, A.N., 1981.
Management techniques in brackishwater prawn and fish farming including pen culture.
Fishing Chimes, 1(8) : 41-48.

27. Ghosh, A.N. & P.K. Pandit, 1979.
 (1. Director (Inland Fisheries), The State Fisheries Development Corporation Ltd., 43, Shakespeare Sarani, Calcutta-17.
 2. Central Inland Fisheries Research Institute, Barrackpore).
 On the rearing of fry of bhetki Lates calcarifer (Bloch) in brackishwater ponds.
Matsya, 5 : 50-55.
 18 ref.
28. Goel, P.K., B. Gopal & R.K. Trivedy, 1980.
 (1&3. Department of Environmental Pollution, Science College, Karad 415 110, Maharashtra.
 2. Dept. of Botany, University of Rajasthan, Jaipur-4).
 Impact of sewage on freshwater ecosystems. I. General features of water bodies and sewage.
Int. J. Ecol. Environ Sci., 6 : 83-96.
 Morphoretry of two man-made reservoir near Jaipur (26°49'N) has been described.
29. Goel, P.K., B. Gopal & R.K. Trivedi, 1980.
 (1&3. Dept. of Environmental Pollution, Science College, Karad-415 110, Maharashtra.
 2. Dept. of Botany, University of Rajasthan, Jaipur-4).
 Impact of sewage on fresh water ecosystems II. Physico-chemical characteristics of water and their seasonal changes.
Int. J. Ecol. Environ Sci., 6 : 97-116.
- This study shows that during the post decade the continued in-puts of sewage have lowered the pH and chlorides, but increased the contents of total dissolved solids, calcium and magnesium. 54 ref.
30. Gopal, Brij & Manjula Kulshreshtha, 1980.
 (Dept. of Botany, University of Rajasthan, Jaipur-4).
 Role of aquatic macrophytes as reservoir of nutrients and in their cycling.
Int. J. Ecol. Environ Sci., 6 : 145-152.

It is observed that the aquatic macrophytes act as a large reservoir of nutrients (Na, K, Ca, Mg, N, P etc) through their ability to accumulate these nutrients in concentrations from a few to several hundred times greater than in the sediments and upto several thousand times greater than in water. 39 ref.

31. Gopal, T.K. Srinivasa & T.K. Govindan, 1981.
(Central Institute of Fisheries Technology, Cochin-682 029, India).
Effect of frozen storage on the physical properties of corrugated fibre-board Master Cartons and Waxed Duplex Cartons.
Fish. Technol., 18(1) : 35-39.
- Deleterious effects due to prolonged exposure to moisture, effect of repeated wax-coating on water resisting capacity of the boards and the protection provided by increasing wax contents are reported. 2 ref.
32. Gupta, N.K. & C.L. Duggal, 1980.
(Dept. of Zoology, Panjab University, Chandigarh, India).
On Pinus sinensis HSU 1933 (Nematoda : Haplo nematidae).
A nematode parasite of freshwater fish, channa marulius at Ludhiana (Punjab), India.
Res. Bull. Punjab Univ., 31(1-4) : 87-89.
- A brief description of Pinus sinensis, 1933, is given.
33. Hamsa, K.M.S. Ameer, 1979.
(Mandapam Regional Centre of CMFRI, Mandapam Camp).
On the moulting of Portunus pelagicus Linnaeus
Indian J. Fish., 26(1-2) : 247-249.
3 ref.
- 1
34. Hosmani, S.P. & ²S.G. Bharati, 1981
(1. Dept. of Post-Graduate Studies and Research in Biology, University of Mysore, Manasa Gangotri, Mysore-570 006.
2. Dept. of Botany, Karnatak University, Dharwar-580 003).
A new genus and species of alga from Karnataka (India).
J. Bombay Nat. Hist. Soc., 78(3) : 579-580.
- Scenedocystis karnatakensis is described.

35. Iyer, T.S. Gopala Krishna & S.P. Damle, 1981.
(Bombay Research Centre of Central Institute of Fisheries Technology, 162, Sassoon Dock, Colaba, Bombay-400 005, India).
Isolation of Salmonella larochelle for the first time in India.
Fish. Technol., 18(1) : 63-

Morphological, biochemical and serological characteristics of Salmonella larochelle is given. 4 ref.
36. Johal, M.S., 1981.
(Post-Graduate Dept. of Zoology, S.G.N. Khanna College, Sri Ganganagar, Rajasthan, India).
Ichthyofauna of Ganganagar District, (Rajasthan), India.
Res. Bull. Panjab Univ., 32(1-4) : 105-110.
5 ref.
37. Johal, M.S. & K.K. Tandon, 1981.
(Dept. of Zoology, Panjab University, Chandigarh).
Fishes of Panjab.
Res. Bull. Panjab Univ., 32(1-4) : 143-154.

The paper described a dichotomous key for the fishes of Punjab. As many as 114 species and 4 sub species have been identified. 13 ref.
38. Joshi, B.D., D.K. Gupta & L.D. Chaturvedi, 1979.
(P.G. Department of Zoology, Hindu College, Moradabad, U.P.).
Biochemical composition of some tissues of a freshwater fish Heteropneustes fossilis during winter months.
Matsya, 5 : 47-49.

During winters months different tissues of Heteropneustes showed poor values in various chemical components as compared to the summer months. 18 ref.
39. Kamal, M. Yusuf, P.N. Jaitly & A. Mukherjee, 1982.
(Central Inland Fisheries Research Institute, Doranda Fish Farm, Ranchi, India).
An unusual case of spawning of a Chinese carp, Hypophthalmichthys molitrix (C&V)
Sci. & Cult., 48(1) : 42-43.

Reports the successful artificial fecundation of the ova of a dead female from the spawns of a dead male, 30 minutes after their death. 5 ref.

40. Kaushal, D.K., M.D. Pisolkar & Y. Rama Rao, 1980.
 (All India Co-ordinated Project Ecology and Fisheries of Freshwater Reservoir, CIFRI, Bilaspur, H.P.)
 Observations on the food habits of Tor putitora (Hamilton) from Govindsagar reservoir, Himachal Pradesh.
J. Inland Fish. Soc. India., 12(1) : 138-139.
 1 ref.

41. _____, 1980.
 (All India Co-ordinated Project on Ecology and Fisheries of Freshwater Reservoir, CIFRI, Bilaspur, H.P.)
 A note on the food habits of silver carp Hypophthalmichthys molitrix (valenceinnes) from Govindsagar reservoir (Himachal Pradesh).
J. Inland Fish. Soc. India, 12(1) : 129-130.

H. molitrix of Govindsagar reservoir subsists mainly on phytoplankton (93.03%) with a wide range of variation in the gut contents. 2 ref.

42. Kawatra, A.K., 1981.
 Impact of extension service in the development of fisheries in Punjab.
Fishing Chimes, 1(8) : 29-33.

43. Kumaraiah, P. & G. Gnanaeela, 1981.
 An air breathing fish a day keeps the doctor away.
Fishing Chimes, 1(8) : 25-27.

 All details of the culture technique of air-breathing fishes are described.

44. Kumar, Kuldip, 1980.
 (Central Inland Fisheries Research Institute, Barrackpore, West Bengal).
 Laboratory studies on the intake of formulated feed by Labeo rohita and Clarias batrachus.
J. Inland Fish. Soc. India, 12(1) : 118-120.

The fingerlings of L. rohita get satiated when fed @ 3% ~~0.5~~ body wt. while 4% ~~0.5~~ feeding rate is quite optimum for C. batrachus. 5 ref.

45. Kunju, M.M., 1979.
(Calicut Research Centre of Central Marine Fisheries Research Institute, South India).
Studies on the biology of Nematopalaemon tenuipes (Hender Ion) in Bombay coast.
Indian J. Fish. 26(1-2) : 65-81.
18 ref.
46. Kurup, B. Madhusoodana & C.T. Samuel, 1979.
(1. Dept. of Marine Science University of Cochin, Cochin-682 016.
2. Prof. and Head of the Dept., Dept. of Industrial Fisheries University of Cochin, Cochin-682 016).
Notes on a specimen of Ambassis dayi Bleeker with morphological abnormalities.
Matsya, 5 : 76-78.
7 ref.
47. Kurup, P.G., 1980.
(Dept. of Marine Science University of Cochin, Foreshore Road, Cochin-682 016).
Studies on the physical aspects of the mud bank along the Kerala coast with special reference to the Purakad mud bank.
Vijnanaposhini, 1(2) : 1-12.
9 ref.
48. Kuthalingam, M.D.K., P.V. Sreenivasan & S. Lazarus, 1979.
(Vizhinjam Research Centre of CMFR Institute, Vizhinjam, South India).
Four new records of fishes from Indian seas.
Matsya, 5 : 42-46.
49. Luther, G., 1979.
(Vizhinjam Research Centre of Central Marine Fisheries Research Institute, Vizhinjam).
Anchovy fishing of South-West coast of India with notes on characteristics of the resources.
Indian J. Fish. 26(1&2) : 23-39.

The southern region lying between Cape Comorin and Quilon is the most productive for anchovies. Some details of the fisheries and biological characteristics of the anchovies of the Vizhinjam area are given. 17 ref.

50. Mammen, T.A., 1981.

Enough fish to go round ?

Intensive Agriculture, 19(8) : 29-32.

All the recent developments in the inland and marine schemes of fisheries have been reviewed.

51. Marian, M. Peter, A.G. Ponniah, R. Pitchairaj & M. Narayanan, 1982

(School of Biological Sciences, Madurai Kamaraj University, Madurai-625 021).

Effect of feeding frequency on surfacing activity and growth in the air-breathing fish Heteropneustes fossilis.
Aquaculture, 26(3-4) : 237-244.

From the points of both feeding and conversion efficiency, feeding once a day in cultures of juvenile H. fossilis is recommended. 19 ref.

52. Masurekar, V.B. & S.R. Pal, 1979.

(Dept. of Zoology, Institute of Science, Madam Cama Road, Bombay).

Observations on the fluctuations in protein fat and water content in Cyprinus carpio (Linn) in relation to the stages of maturity.

Indian J. Fish., 26(1-2) : 217-224.

A gradual depletion was observed during maturation, and the least protein and fat content was observed in the spent individuals. 21 ref.

53. Menon, A.G.K., 1979.

(Zoological Survey of India, Madras).

A revision of the fringedlip tongue soles of the genus Paraplegusia Bleeker, 1865 (Family Cynoglossidae).
Matsya, 5 : 11-22.

The genus Paraplegusia is distributed in the tropical Indo-Pacific region, with only three species P. bilineata, P. blochi and P. japonica as valid. For these species a list of synonyms, morphology, relationships, information as type specimens and distribution are reported. 78 ref.

54. Mishra, Keshav Dev & Rais Datta Gaur, 1979.
 (1. School of Studies in Zoology, Jiwaji University,
 Gwalior. 2. Prof. and Head of the Department of
 Zoology, Government Science College, Gwalior, M.P.)
 Ultra structural studies on the synaptic organelles in
 the brain of Channa cochui (Ham.) (Pisces, ophiocephalidae).
Matsya, 5 : 56-61.
 27 ref.

55. Moitra, A., P.K. Pandey & J.S. Datta Munshi, 1979.
 (Post-Graduate Department of Zoology, Bhagalpur Univer-
 sity, Bhagalpur-812 007).
 Effect of L - thyroxine, ethylestrenol and vitamin B
 on the body composition of an air-breathing fish
Clarias batrachus (Linn).
Matsya, 5 : 38-41.

The moisture content of the body decreased in Vitamin B
 complex and increased in L-thyroxine treated group. An increase
 in the protein content was observed by Ethylestrenol and
 Vitamin B complex feed. The lipid content in experimental groups
 did not vary much over the control. 26 ref.

56. Moitra, Shankar Kumar, 1980.
 (Dept. of Zoology, Burdwan University, Burdwan, W.B.).
 Periodicity of the gonadotropin content in the pituitary
 glands of an Indian freshwater major carp, Catla catla
 Ham.
J. Inland Fish. Soc. India, 12(1) : 14-24.

Biochemical estimations of the total protein content in
 the pituitary glands of Catla catla revealed the relationship
 existing between the gonadotrophic cells of the proximal pars
 distalis and the quantum of the protein hormone gonadotropin.
 36 ref.

57. Mojunder, P. & S.S. Dan, 1979.
 (Waltair Research Centre of CMFR Institute, Waltair).
 Studies on food and feeding habits of catfish
Tachysurus tenuispinis (Day).
Indian J. Fish. 26(1-2) : 115-124.
 6 ref.

58. Murty, Sriramachandra V., K.A. Narasimham & W. Venugopalan, 1979.
(Research Centre of Central Marine Fisheries Research Institute, Kakinada).
Survey of window pane oyster (Placenta placenta) resources in the Kakinada Bay.
Indian J. Fish., 26(1-2) : 125-132.
15 ref.
59. Nagabhushanam, R. & M.Y. Kulkarni, 1979.
(Dept. of Zoology, Marathwada University, Aurangabad).
Embryonic and larval development of the prawn Macrobrachium kistnessis.
Indian J. Fish., 26(1-2) : 1-12.
20 ref.
60. Nair, G.R. Jayasree, 1980.
(Dept. of Zoology, Govt. College, Madappally, Kerala)
Study of parasitic copepods belonging to the family lernanthropidae.
Vijnanaposhini, 1(2) : 29-36.
10 ref.
61. Nair, Somasekharan K.V., 1979.
(Calicut Research Centre of Central Marine Fisheries Research Institute, Calicut)
Food and feeding habits of Otolithes ruber (Schneider) at Calicut.
Indian J. Fish., 26(1-2) : 133-139.
12 ref.
62. Naomi, T.S., 1979.
(Karwar Research Centre of CMFR Institute, Karwar).
On a swarm of amphipods Atylus minikoi (Walker) in the shallow waters of the Karwar Bay.
Indian J. Fish., 26(1-2) : 227-229.
5 ref.
63. Narasimham, K.A.G., Sudhakara Rao, Y. Appanna Sastry & W. Venugopalam, 1979.
(Kakinada Research Centre of Central Marine Fisheries Research Institute, South India).
Demersal fishery resources off Kakinada with a note on economic of commercial trawling.
Indian J. Fish., 26(1-2) : 90-100.

The important demersal fisheries resources during the period 1971-1974 are given in this paper. The economics of commercial trawling by the three types of boats operated by the industry are worked out. 3 ref.

64. Nasar, S.A.K. & M. Dasgupta, 1979.
(Dept. of Zoology, School of Life Sciences, North-Eastern Hill University, Shillong-793 003).
On the occurrence of Ichthyophthiriasis in Acrossocheilus hexagonolepis (McClelland).
Matsya, 5 : 73-74.

Discussed about the attack of Ichthyophthirius multifiliis.
Infected fish can be healed by a bath of NaCl or trypaflavin.
12 ref.

65. Natarajan, A.V. & V. Pathak, 1980.
(Central Inland Fisheries Research Institute, Barrackpore, West Bengal).
Bioenergetic approach to the productivity of man-made lakes.
J. Inland Fish. Soc. India, 12(1) : 1-13.

Various principles of energy transformation and dynamic models to explain the productivity of man made lakes have been discussed. 17 ref.

66. Natarajan, P., P. Devadoss & K. Muniyandi, 1979.
(Central Marine Fisheries Research Institute Centre, Portonovo).
Fisheries of Vellar Estuary, Porto Novo.
Indian J. Fish., 26(1-2) : 201-206.

Results of a study of the fishery of fin fishes and shell fishes in the Vellar Estuary (11°29' N; 79° 46' E) are reported. 9 ref.

67. Natarajan, P. & R. Soundrarajan, 1979.
(Regional Centre of Central Marine Fisheries Research Institute, Mandapam Camp).
Note on the occurrence of Parreysia (Parreysia) Wynegungaensis (LEA) (Eulamolibranchiata) and Opeas anuandalei Godwin Austen (Stylommatophora) in Porto Novo.
Indian J. Fish., 26(1-2) : 241-243.
3 ref.

68. Nath, Surendra, 1979.
(Professor & Head, Dept. of Zoology, Islamic College of Science & Commerce, Srinagar, Kashmir)
On the food, feeding habits and alimentary canal of Crossocheilus latius diplochilus (Heckel) in Kashmir Valley and adjacent areas.
Matsya, 5 : 74-76.
9 ref.
69. Nath, Surendra, 1981.
(Dept of Zoology, Islamic College of Science & Commerce, Srinagar, Kashmir).
On a collection of cobitid loaches of the genus noemacheilus Van Hasselt from Poonch Valley (Jammu and Kashmir).
J. Bombay Nat Hist. Soc., 78(3) : 612-613.
11 ref.
70. Nayar, S. Gopalan & K. Radhalakshmi, 1981
(Central Institute of Fisheries Technology, Cochin-682 029, India).
Studies on Raschel knotless netting.
Fish. Technol., 18(1) : 13-16.
- The quality of knotless webbing is evaluated. A method has been presented to fix up yarn specification for Raschel knotless nettings equivalent to a given netting. 7 ref.
71. Nigam, Harish C., 1982
(Zoology Dept. Lucknow Christian College, Lucknow, 226 001).
A first report of the systemic valve in the truncus arteriosus of the Indian frog Rana tigerina (Daud).
Curr. Sci., 51(2) : 107-108.
- The presence of a systemic valve and its possible role in the distribution of blood through the truncus arteriosus is reported. 2 ref.
72. Panda, N. & J.C. Roy ed.,
Souvenir of the Seminar on Fresh Water Fish Seed production, 1982 held at Cuttack on February 17 and 18, 1982.

73. Pathak, S.C., Y.S. Yadav, D.N. Singh & P.V. Dehadrai, 1980.
(All India Co-ordinated Research Project on the
Air-Breathing Fish Culture, CIFRI, Gauhati-3)
Observations on the mixed culture experiment on air
breathing fishes conducted in derelict and freshwater
ponds in Gauhati (Assam).
J. Inland Fish. Soc. India, 12(1) : 112-115.
- The production figures obtained from the experiments in
derelict water body as well as fresh water pond have proved the
economic viability of the culture technique. 6 ref.
74. Pathak, V., V.V. Sugunan, 1980.
(Central Inland Fisheries Research Institute, Barrackpore).
Effect of solar eclipse on the photosynthetic processes
and behaviour of biotic communities in Nagarjunasagar
aquatic ecosystem.
J. Inland Fish. Soc. India, 12(1) : 121-126.
4 ref.
75. Pathani, S.S. & S.M. Das, 1980.
(Dept. of Zoology, D.S.B. University College,
Nainital-263 002).
A note on length weight relationship and seasonal
condition factor of Mahseer Tor tor and T. Putitora
(Hamilton).
J. Inland Fish. Soc. India, 12(1) : 140-143.
10 ref.
76. Pati, S., 1979.
(Dept. of Zoology, Ravenshaw College, Cuttack, Orissa)
On the maturation and spawning of Chinese pomfret
Pampus Chinensis (Euphrason) from Orissa coast.
Indian J. Fish., 26(1-2) : 150-162.
9 ref.
77. ———, 1981.
(Department of Zoology, Ravenshaw College, Cuttack-
753 003, India).
Observations on the lunar and tidal influence on
gill netting in the Bay of Bengal.
Fish. Technol., 18(1) : 25-27.

Catchability was highest during the first quarter and lowest in the fourth quarter of the moon. Extensive use of bluish grey nylon twine has largely eliminated the visibility of gear during brighter phase of moon. A plausible explanation for high catch during neap tide compared to that of spring tide is offered. 13 ref.

78. Patnaik, S, 1980.

(CIFR Substation, Cuttack, Orissa)

Toxicity of organic copper compound (Cutrine) on some algae and fish.

J. Inland Fish. Soc. India, 12(1) : 136-137.

Organic copper compound (cutrine) at concentrations 2ppm and above are toxic to algae like M. aeruginosa, A. spiroides, P. inconspicuum but the same chemical up to 10 ppm are not toxic to fishes like L. rohita and C. mrigala. 6 ref.

79. Pillai, S. Krishna, 1979.

(Bombay Research Centre of CMFR Institute, Bombay)

On occurrence of mackerel Rastrelliger kanaqurta (Cuvier) in distant waters off Bombay.

Indian J. Fish., 26(1-2) : 225- 226

5 ref.

80. Pillai, S. Krishna & V.S. Somvanshi, 1979.

(Bombay Research Centre of CMFR Institute, Bombay).

A case of complete albinism in marine cat fish Arius caelatus (Valenciennes)

Indian J. Fish., 26(1-2) : 240-241.

9 ref.

81. _____, 1979

(C.M.F.R.I., Research Centre, Bombay)

A new record of the Grub fish, Parapercis alboqutta (Gunther) from Bombay waters.

Indian J. Fish., 26(1-2) : 237-238.

4 ref.

82. Prasad, N.S.H., 1981.

Want relief from hatching head aches ? Try shirgur
Shirgur's hatcheries.

Fishing Chimes, 1(8) : 17-22.

Given particulars of a carp hatchery standardised by the author.

83. Prasad, R.R., 1979.
(Fisheries Research Station, Darbhanga-846 001).
Carp spawn potentiality of Palazaghat (Bihar).
Indian J. Fish., 26(1-2) : 230-232.
4 ref.
84. Radhakrishnan, S., 1980.
(Dept. of Aquatic Biology, University of Kerala, Trivandrum).
Studies on certain fish parasites and the nature of infestation along the South-West coast of India.
Vijnanaposhini, 1(2) : 53-66.

A taxonomic survey of the protozoan, helminths and crustacean parasites, detailed studies on the incidence and intensity of different parasitic infestations in relation to the size and lengths (age) of the host and fish along the coast, description of the mode of attachment of the parasites to the host tissues, the histopathological changes associated with different infestations, changes in the peripheral blood and in the biochemical composition of the liver and white muscle are included in this work.
85. Rajan, K.V. Mohan, B. Meenakumari & R. Balasubramanyam,
(Central Institute of Fisheries Technology, Cochin-29, India).
Spiny lobsters and their fishing techniques.
Fish. Technol., 18(1) : 11-11.

Fishing techniques for spiny lobsters in India, Sri Lanka, United States, Australia, South Africa, United Kingdom, Ireland and Portugal are discussed. 61 ref.
86. Ramalingam, V., 1981.
(Dy. Director, M.P.E.D.A.)
West Europe - A growing shrimp market.
Seafd. export J., 13(11) : 9-23.
6 ref.

87. Ramamirtham, C.P., 1979.
(Central Marine Fisheries Research Institute, Cochin-18)
On circulation of Indian Ocean Waters East of Maldives
during the post-monsoon period.
Indian J. Fish. 26(1-2) : 82-89.

The circulation patterns in the Maldivian region between the 71° and 80° E meridians within the equator and 8°N are discussed. A large cyclonic gyre exists in the northern regions and are anticyclonic one in the southern region. 14 ref.

88. Rao, C.C., Panduranga, D.², Imam Khosim Saheb³, S.S. Gupta⁴,
G.R. Unnithan, S.T. Chari⁶, R. Srinivasan⁷, T. Santhanaraj⁸,
and K.V.N. Pillai⁹,
(1-4 : CIFT, Kakinada, 533 003, India
5 : CIFT, Cochin, 682 029, India
6-9 : Dept. of Fisheries, Madras).
Comparative study of tradition and improved containers
for transportation of fresh fish.
Fish. Technol., 18(1) : 29-33.

Traditional bamboo basket and expanded polystyrene insulated plywood box (second hand tea chest) were compared for transportation of fish from Kakinada to Madras by rail. The former was found to be cheaper and as efficient as the latter. 5 ref.

89. Rao, D. Ramananda, 1981.
(Central Institute of Fisheries Education, Versova,
Bombay-400 081).
Edible fish powder from Dhoma fish.
Seaf. Export J., 13(12) : 19-27.
14 ref.

90. Rao, H.N. Sathyanarayan, 1981.
(College of Fisheries, Mangalore, India)
Induced sex reversal in fish.
Jalashri U.A.S. Students Magazine College of Fisheries,
Mangalore : P-27.

This is the first report of successful sex reversal in Cyprinus carpio. 17 L-methyl - testosterone (male hormone) were administered to common carp hatchlings through feed at a concentration of 200 ppm for 131 days starting from the 2nd day of hatching.

91. Rao, K. Srinivasa & M. Rama Murty, 1981.
(Dept. of Zoology, Andhra University, Waltair, (A.P.)
Occurrence of Zebrias japonicus (Blaker) (Soleidae :
Pisces) in the Bay of Bengal, Off Visa Khapatnam.
J. Bombay Nat. Hist. Soc., 78(3) : 614-615.

Described a new species Z. japonicus recorded for the
first time from Indian waters. 7 ref.
92. Rao, Sudhakara G., 1979.
(Kakinada Research Centre of Central Marine Fisheries
Research Institute, Kakinada).
Observations on the marine prawn fishery by shore
seine at Kakinada.
Indian J. Fish., 26(1-2): 52-64.

The stimated annual prawn landings by shore-seines at
Kakinada varied from 13.9 to 57.3 tonnes during 1967-1971. 6 ref.
93. Rao, T. Appa, 1979.
(Waltair Research Centre of CMFR Institute, Waltair).
Alkaline phosphatase activity in ovaries of some
clupeoids.
Indian J. Fish., 26(1-2) : 253-255.

The phosphate activity rises to a peak in the maturing
stage (II) and declines in the mature stage (Stage III) to about
the same level or slightly higher level than in the immature
stage (stage I). 4 ref.
94. Rao, Y. Rama, D.K. Kaushal, M.D. Pisolkar & V.K. Sharma, 1981.
(All India Co-ordinated Project on the Ecology and
Fisheries of Freshwater Reservoir, CIFRI, Bilaspur, H.P.).
On the occurrence of silver carp Hypophthalmichthys
molitrix (Valenceinnes) in Govindsagar reservoir,
Himachal Pradesh.
J. Inland Fish. Soci, India, 12(1) : 134-135.

Reported the occurrence of H. molitrix in Govindsagar
reservoir for the 1st time. 1 ref.

95. Rattan, R.S., 1980
(Government College, Ropar, India).
A note on an abnormal cosmarium corda.
Res. Bull. Panjab Univ., 31(1-4) : 107-108.
2 ref.
96. Roy, Rathindra Nath, 1981.
(Shri AMM Murugappa Chettiar Research Centre,
Tharamani, Madras, 600 042).
Village integrated energy systems.
ICLARM Newsletter, 4(2) : 12-15.

Discussed all about energy systems, the problem of
fishermen community.
97. Sastry, K.V. & S.K. Sharma, 1979.
(Dept. of Zoology, D.A.V. College, Muzaffarnagar)
Endrin induced hepatic injury in Channapunctatus (Ham).
Indian J. Fish., 26(1-2) : 250-253.

The effect of a sublethal concentration (0.01 mg/l) of
endrin on the histological changes in the liver of a teleost
Channa punctatus has been studies. 11 ref.
98. Saxena, O.P., H.K. Bhatia, Veena Chowdhury, 1979.
(Cell Biology Research Laboratory, Zoology Research
Laboratories, M.M. College, Modinagar-201 204).
Cytological study of oocytes of the fish, Mastacembelus
armatus with particular reference to the localization of
proteins and nucleic acids.
Matsya, 5 : 1-10.

To the developing oocyte of the fish M. armatus the main
cytological changes occur within the nucleus (germinal vesicle)
and cytoplasm. Circumstantial evidence suggests that nucleolii
are involved in protein synthesis. 25 ref.
99. Setty, M.G., Anantha Pad Manabha, 1981.
(National Institute of Oceanography, Dona Paula,
403 004, Goa, India).
Future of Ocean resources : The next 25 years.
J. Scient. Ind. Res., 40(11) : 701-708.
14 ref.

100. Sharma, S.V., 1979.
(Nagarjuna University, Nagarjuna Nagar-522 510).
On the correct year of publication of the original description of the bagrid catfish Silurus vittatus Bloch (Siluriformes : Bagridae).
Matsya, 5 : p-80.

Original description of the bagrid cat fish Mystus vittatus has been variously cited. But the original description first appeared in Naturgeschichte der Aulandischen Fische pt. 8 Taf. 371 in 1594. 7 ref.
101. Sharma, V.K., 1980.
(Reservoir Fisheries Project, Central Inland Fisheries, Bilaspur, (Himachal Pradesh).
A peculiar case of abnormality of caudal fin in Cerassius auratus (Linn).
J. Inland Fish. Soc. India, 12(1) : 127-128.
12 ref.
102. Shetty, H.P.C., 1981.
(College of Fisheries, Mangalore, India).
The scope for aquaculture in India.
Jalashri, U.A.S. Students' Magazine College of Fisheries, Mangalore : 1-6.
103. Shyam Sunder, H.S. Raina & K.K. Vass, 1980
(Srinagar Research Centre of the CIFRI, Harwan-191 123, Srinagar, Kashmir).
An incubator designed for Schizothoracids fish seed production.
J. Inland Fish. Soc. India, 12(1) : 131-133.
104. Singh, R.K., N.P. Shrivastava & V.R. Desai, 1980.
(All India Co-ordinated Research Project on the Ecology and Fisheries of Freshwater Reservoir, Rihand Turra, Mirzapur, U.P.)
Seasonal and diurnal variations in physico-chemical conditions of water and plankton in lotic sector of Rihand reservoir (Uttar Pradesh).
J. Inland Fish. Soc. India, 12(1) : 100-111.
14 ref.

105. Singh, S.B., S.R. Ghosh, P.V.G.K. Reddy, R.K. Dey & B.K. Mishra, 1980

(CIFR Substation, Cuttack, Orissa)

Effect of aeration on feed utilization by common carp fingerlings.

J. Inland Fish. Soc. India, 12(1) : 64-69.

Aeration favoured feed utilization and fish growth.

The growth of fish with aeration was nearly 5 times over the initial size without any change of water for 70 days, whereas it was only about 2 times in pools without aeration where water had to be changed every week. The computed gross and net production in both the sets are also presented. 3 ref.

106. Sinha, R.K., S.P. Singh & S.B. Singh, 1980.

(P.G. Dept. of Zoology, Magadh University, Bodh-Gaya, Bihar).

A deformed specimen of Catla catla Ham.

J. Inland Fish. Soc. India, 12(1) : 116-117.

4 ref.

107. Somalingam, J., 1981.

Pre and post spawn stocking and nursery management.

Fishing Chimes., 1(8) : 49-53.

Described the methods of nursery management.

108. Soni, D.D. & Maya Kathal, 1979.

(Dept. of Zoology, University of Sagar, Sagar)

Length-weight relationship in Cirrhitus mrigala (val.) and Cyprinus carpio (Hamilton).

Matsya, 5 : 69-72.

11 ref.

109. Srinivasarengam, S., 1979.

(Madras Research Centre of CMFR Institute).

Occurrence of a large shoal of Javanese cownose Ray, Rhinoptera javanica Muller & Henle in the Bay of Bengal Off Madras.

Indian J. Fish., 26(1-2) : P-239.

3 ref.

110. Sugunan, V.V., 1980.
 (CIFRI, Barrackpore)
 Seasonal fluctuations of plankton of Nagarjunasagar reservoir, A.P.
J. Inland Fish. Soc. India, 12(1) : 79-91.

The standing crop of plankton showed two peaks - one in summer and other in winter. Trends in total alkalinity, nitrogen, specific conductivity and morpho-edaphic indices were similar to those of plankton. Total alkalinity and specific conductivity exhibited similar trends as Myxophyceae in all sectors except the lotic. The standing crop of plankton was maximum during the period of minimal inflow and outflow and vice versa. The blooming Microcystis was observed during the minimal mean depth. The utilization of plankton as food by the existing stock of commercial fishes was poor indicating the necessity of stocking suitable species.

111. Sukumaran, K.K., 1979.
 (Central Marine Fisheries Research Institute Centre, Mangalore).
 Studies on the fishery and biology of Hippolysmata ensirostris Kemp in Bombay coast.
Indian J. Fish., 26(1-2) : 140-149.
 8 ref.

112. Sundararaj, V.P. Natarajan & M.D.K. Kuthalingam, 1981
 (Fisheries College, Tuticorin).
 Scope of chanos farming.
Seafd. Export J., 13(12) : 9-18.
 39 ref.

113. Tandon, K.K., P. Kaur, Kiranjit Kaur & Guravtar Singh, 1979.
 (Dept. of Zoology, Punjab University, Chandigarh).
 Histological studies on the brain areas of three fishes.
Matsya, 5 : 62-68.

Deals with the interpretation on the known areas of the mid and hind brain in relation to ecological niches of Garra lamta, L. dero and Channa punctatus. 9 ref.

114. Tandon, K.K., V. Parkash & B.S. Sahota, 1980.
(Dept. of Zoology, Punjab University, Chandigarh).
Comparative study of Osteoporphyrin, Visceral skeleton
and Weberian apparatus of Barilius bola (Ham) Barilius
bendelisis (Ham) and Labeo dero (Ham.)
Res. Bull. Punjab Univ., 31(1-4) : 9-24.
24 ref.
115. Thakur, N.K., 1980.
(Air-breathing Fish Culture unit of the CIFRI,
Mithapur Fish Farm, Patna-800 001)
Notes on the embryonic and larval development of an
air breathing catfish Clarias batrachus (Linn).
J. Inland Fish. Soc. India, 12(1) : 30-43.
15 ref.
116. Thomas, P.A., 1979.
(Vizhinjam Research Centre of CMFR Institute).
Boring sponges destructive to economically important
molluscan beds and coral reefs in Indian seas.
Indian J. Fish., 26(1-2) : 163-200.
34 ref.
117. Varghese, M.D., 1981.
(Dept. of Aquatic Biology & Fisheries University of
Kerala, Trivandrum-695 007, India).
On the importance of Mesopodopsis zoylanica (crustacea,
Mysidacea) as food of fish.
Fish. Technol., 18(1) : 61-62.
7 ref.
118. Varghese, M.D., A.K. Kesavan Nair, V.C. George & A.A. Khan, 1981.
(Burla Research Centre of Central Institute of Fisheries
Technology, Burla-768 017, India).
Estimation of fish production from Hirakud reservoir.
Fish. Technol., 18(1) : 17-23.

A suitable procedure based broadly on stratified random sampling for estimation of fish production is described. The total fish production for the years 1978 and 1979 along with seasonal variation of different species. 4 fig. 3 tab. 17 ref.

119. Vasisht, H.S., 1975.
 (Dept. of Zoology, Panjab University, Chandigarh)
 Reporting the occurrence of the Bryozoan, Lophopodella
carteri (Hyath) from the municipal park pond,
 Ambala city.
Res. Bull. Punjab Univ., 26(1-4) : P-111.
 7 ref.
120. Vasisht, H.S. & B.B. Sofft, 1975
 (Dept. of Zoology, Punjab University, Chandigarh).
 Crustacean fauna of the manicipal park pond,
 Ambala city.
Res. Bull. Punjab Univ., 26(1-4) : 113-114.
 10 ref.
121. _____, 1975
 (Dept. of Zoology, Punjab University, Chandigarh).
 The epizotic fauna of Eichhornia in the municipal
 park pond, Ambala City.
Res. Bull. Punjab Univ., 26(1-4) : 115-116.
 4 ref.
122. _____, 1975
 (Dept. of Zoology, Punjab University, Chandigarh).
 Rotifer fauna of the minicipal park pond. Ambala City.
Res. Bull. Punjab Univ., 26(1-4) : 117-118.
 17 ref.
123. Yohannan, T.M., 1979.
 (Calicut Research Centre of CMFR Institute, Calicut).
 The growth pattern of Indian mackerel.
Indian J. Fish., 26(1-2) : 207-216.
- The modal values for 1970-74 indicate that the mackerel
 grows to about 21 cm by the end of 8 months and by the end of
 1st year the lought is 22cm. The indication is that as the
 gonadial growths sets in there is a drastic reduction in
 linear growth. 16 ref.

II AUTHOR INDEX

Every author's name appearing in the original article is listed alphabetically, including corporate bodies (Societies, organisations etc.), whether occurring as single or multiple words. (Reference is given to the serial no. of the entry).

Anand, C.P.	...	1,2,3
Anon	...	4
Aravindakshan, M.	...	5
Aziz, Abdul	...	6
Balasubramanyan, R.	...	85
Baliga, B.B.	...	7
Barrackpore Central Inland Fisheries Research Institute	...	8,9,10
Bharti, S.G.	...	34
Bhatia, H.K.	...	98
Bhattacharya, S.K.	...	16
Bhowmick, U.	...	20
Bhukaswan, Thiraphan	...	11
Bose, A.N.	...	16
Buch, A.C.	...	18
Buch, A.U.	...	12
Chakraborty, D.P.	...	20
Chandra, R.	...	17
Chandrasekharan, G.	...	14
Chandrasekharan, G. Edwin	...	13
Chaudhuri, D.R.	...	16
Chaudhury, M.	...	17
Chari, S.T.	...	88
Chattopadhyay, G.N.	...	15
Chaturvedi, L.D.	...	38
Chhaya, N.D.	...	18
Chonder, S.L.	...	19
Chowdhury, Veena	...	98
Damle, S.P.	...	35
Dan, S.S.	...	57
Dasgupta, M.	...	64
Das, P.	...	20
Das, S.M.	...	75
Datta Munshi, J.S.	...	55
De, D.K.	...	21
Dey, R.K.	...	105
Dosai, S.S.	...	22
Dosai, V.R.	...	104

Devadoss, P.	...	23 & 66
Dhulkhed, M.H.	...	24
Duggal, C.L.	...	32
Gaur, Ravi Datta	...	54
George, V.C.	...	118
Ghosh, A.K.	...	20
Ghosh, A.N.	...	26 & 27
Ghosh, S.R.	...	105
Gnanaeela, G.	...	43
Geel, P.K.	...	28 & 29
Gopal, B.	...	28, 29 & 30
Govindan, T.K.	...	31
Gupta, D.K.	...	38
Gupta, N.K.	...	32
Gupta, S.S.	...	88
Hamsa, K.M.S. Ameer	...	33
Hosmani, S.P.	...	34
Iyer, T.S. Gopalakrishna	...	35
Jaitly, P.N.	...	39
Johal, M.S.	...	36 & 37
Joshi, B.D.	...	38
Kamal, M. Yusuf	...	39
Kathal, Maya	...	108
Kaur, Kiranjit	...	113
Kaur, P.	...	113
Kaushal, D.K.	...	40, 41 & 94
Kawatra, A.K.	...	42
Khan, A.A.	...	118
Khasim Saheb Imam	...	88
Kolekar, V.	...	17
Kulkarni, M.Y.	...	59
Kulshreshtha, Manjula	...	30
Kumaraiah, P.	...	43
Kumar, D.	...	20
Kumar, Kuldip	...	44
Kunju, M.M.	...	45
Kurup, B. Madhusoodana	...	46
Kurup, P.G.	...	47
Kuthalingam, M.D.K.	... 48 &	112
Lazarus, S.	...	48
Luther, G.	...	49
Mammen, T.A.	...	50
Marian, M. Peter	...	51
Masurekar, V.B.	...	52
Meena Kumari, B.	...	85
Menon, A.G.K.	...	53
Mishra, B.K.	...	105

Mishra, Keshav Dev	...	54
Moitra, A.	...	55
Moitra, Shankar Kumar	...	56
Mojumder, P.	...	57
Mondal, L.N.	...	15
Mukherjee, A.	...	39
Muniyandi, K.	...	66
Murty, Sriramachandra V.	...	58
Nagabhushanam, R.	...	59
Nair, A.K. Kesavan	...	118
Nair, G.R. Jayasree	...	60
Nair, Somasekharan K.V.	...	61
Naomi, T.S.	...	62
Narāsimham, K.A.G.	...	58 & 63
Narayanan, K.R.	...	12 & 18
Narayanan, M.	...	51
Nasar, S.A.K.	...	64
Natarajan, A.V.	...	65
Natarajan, P.	...	66, 67 & 112
Nāth, Surendra	...	68 & 69
Nayar, S. Gopalan	...	70
Nigam, Harish C.	...	71
Pal, S.R.	...	52
Panda, N.	...	72
Pandey, P.K.	...	55
Pandit, P.K.	...	27
Panduranga, D.	...	88
Parkash, V.	...	114
Pathak, S.C.	...	73
Pathak, V.	...	65 & 74
Pathani, S.S.	...	75
Pati, S.	...	76 & 77
Patnaik, S.	...	78
Pillai, K.V.N.	...	88
Pillai, P.K. Mahadevan	...	23
Pillai, S. Krishna	...	79, 80 & 81
Pisolkar, M.D.	...	40, 41 & 94
Pitchairaj, R.	...	51
Ponniah, A.G.	...	51
Prasad, N.S.H.	...	82
Prasad, R.R.	...	83
Radha Krishnan, S.	...	84
Radhalakshmi, K.	...	70
Raina, H.S.	...	103
Rajan, K.V. Mohan	...	85
Ramalingam, V.	...	86
Ramamirtham, C.P.	...	87
Ramamurthy, M.	...	91
Rao, B. Subba	...	14

	...	88
Rao, C.C.	...	89
Rao, D. Ramanande	...	90
Rao, H.N. Sathyanarayan	...	91
Rao, K. Srinivasa	...	63 & 92
Rao, Sudhakara	...	93
Rao, T. Appa	...	40, 41 & 94
Rao, Y. Rama	...	95
Rattan, R.S.	...	105
Reddy, P.V.G.K.	...	72
Roy, J.C.	...	96
Roy, Rathindra Nath	...	2 & 3
Rudra, T.M.	...	114
Sahota, B.S.	...	46
Samuel, C.T.	...	88
Santhanaraj, T.	...	97
Sastry, K.V.	...	63
Sastry, Y. Appanna	...	98
Saxena, O.P.	...	
Sethy, M.G. Anantha	...	99
Padmanabha	...	97
Sharma, S.K.	...	100
Sharma, S.V.	...	94 & 101
Sharma, V.K.	...	102
Shetty, H.P.C.	...	104
Shrivastava, N.P.	...	25
Shyamasundari, K.	...	103
Shyam Sander	...	113
Singh, Guravtar	...	17
Singh, H.P.	...	104
Singh, R.K.	...	105 & 106
Singh, S.B.	...	106
Singh, S.P.	...	106
Sinha, R.K.	...	120, 121 & 122
Sofft, B.B.	...	107
Somalingam, J.	...	80 & 81
Somavanshi, V.S.	...	108
Soni, D.D.	...	67
Soundrarajan, R.	...	48
Sreenivasan, P.V.	...	31
Srinivasa, Gopal T.K.	...	88
Srinivasan, R.	...	109
Srinivasarengan, S.	...	74 & 110
Sugunan, V.V.	...	111
Sukumaran, K.K.	...	112
Sundararaj, V.	...	37, 113 & 114
Tandon, K.K.	...	115
Thakur, N.K.	...	

Thomas, P.A.	...	116
Trivedy, R.K.	...	28 & 29
Uma Devi, D.V.	...	25
Uma Kumari, K.	...	24
Ynnithan, G.R.	...	88
Varghese, M.D.	...	117 & 118
Vasisht, H.S.	...	119, 120, 121 & 122
Vass, K.K.	...	103
Venugopalan, W.	...	58 & 63
Yadav, Y.S.	...	73
Yohannan, T.M.	...	123

III Subject index

(Subject headings with their sub-headings are listed alphabetically. Reference is given to the serial number of the entry)

BEHAVIOUR	...	40,41,44,51,57,61,68, 74,105
BIOCHEMISTRY	...	38,52,55,93
DISTRIBUTION AND ECOLOGY	...	34,36,48,67,69,79,81, 91,94,109,119,120,121
FISH CULTURE		
a. Induced breedings	...	56
b. Freshwater culture	...	14,20,43,102
c. Brackishwater culture	...	18,26,27,112
d. General	...	73,82,103,107
FISH EGGS, LARVAE & JUVENILES	...	33,59,115
EMBRYOLOGY & DEVELOPMENT		
FISHERIES BIOLOGY & POPULA- TION DYNAMICS	...	21,23,24,45,75,76, 108,111,123
FISHERIES MANAGEMENT		
a. General	...	11,26,63,66
b. Extension education	...	42
FISHERIES STATISTICS	...	17,18,24,49,118
FISHERIES SURVEYS & INVESTIGATIONS	...	36,37
FISHERY ECONOMICS	...	22
FISHING CRAFTS AND FISHING AIDS		
a. Fishing vessels and accessories	...	4
b. General	...	103
FISHING HARBOURS, PIERS, WHARVES, WOOD BARRERS ETC.	...	116

FISHING METHODS AND GEARS	...	70, 77, 92
FISH POISONING AND TOXICITY	...	78, 97
FISH SEED	...	12, 72, 83
FISH TECHNOLOGY	...	16, 89
GENERAL REPORTS	...	8
GENETICS	...	90
HYDROGRAPHY, METEOROLOGY & GENERAL ECOLOGY	...	47, 62, 87
a. Marine	...	6, 29, 30, 65, 104
b. Inland	...	5, 7, 50, 74, 86, 96, 99, 100, 102, 117
MISCELLANEOUS	...	54, 71, 97, 98, 113, 114
MORPHOLOGY, ANATOMY & HISTOLOGY	...	
PACKAGING, TRANSPORTATION AND MARKETING	...	31
a. Packaging	...	88
b. Transportation	...	1, 2, 3, 13, 19, 25, 32, 35, 39, 46, 60, 64, 80, 84, 95, 101, 106
PATHOLOGY	...	56
PHYSIOLOGY	...	
PLANKTON	...	62, 110, 119, 122
a. Zooplankton	...	34, 95, 110
b. Phytoplankton	...	30, 65
c. Productivity	...	

POND FERTILIZATION & SOIL CHEMISTRY	...	15
SHELLFISH FISHERIES	...	58,85,92
SYMPOSIA, CONGRESSES, CONFERENCES ETC.	...	9,10
SYSTEMATICS	...	53
WATER POLLUTION	...	6,28,29

(Based on the taxonomic terms of the Fishes, frogs, Prawns and Crabs occurring in the title and also in the body of the paper. The names of other group appear as per their taxonomic status in the Animal Kingdom. Names of the authorities have been omitted from taxonomic terms)

<u>Abudefduf filifer</u>	...	48
<u>A. leucozona</u>	...	48
<u>Acanthopagrus berda</u>	...	86
<u>Acetes indicus</u>	...	66
<u>Acrossocheilus hexagonolepis</u>	...	64
<u>Alopias vulpinus</u>	...	5
<u>Ambassis Commersonii</u>	...	66
<u>Ambassis dayi</u>	...	46
<u>Amblypharyngodon microlepis</u>	...	36
<u>Amblypharyngodon mola</u>	...	36
<u>Anabas testudineus</u>	...	73
<u>Arius caelatus</u>	...	80
<u>Baqarius baqarius</u>	...	118
<u>B. bendelisis</u>	...	114
<u>Barilius bola</u>	...	36 & 114
	...	
<u>Botia qeto</u>	...	36
<u>Botia lohachata</u>	...	36
<u>Callichorus pabda</u>	...	36
<u>Carangoides malabaricus</u>	...	66
<u>C. oblongus</u>	...	66
<u>Carassius auratus</u>	...	101
<u>Catla catla</u>	...	20
<u>Catla catla</u>	...	56
<u>Catla catla</u>	...	88
<u>Catla catla</u>	...	106
<u>Catla catla</u>	...	118
<u>Channa sp.</u>	...	118
<u>Channa goehua</u>	...	54
<u>Channa marulius</u>	...	32
<u>Channa punctatus</u>	...	97 & 113
	...	
<u>Chanos chanos</u>	...	86
<u>Chanos chanos</u>	...	88
<u>Chanos chanos</u>	...	112
<u>Chela bacaila</u>	...	36 & 118
	...	
<u>C. mrigala</u>	...	19
<u>Cirrhinus mrigala</u>	...	20
<u>C. mrigala</u>	...	64

	...	78
<u>C. mrigala</u>	...	108
<u>C. mrigala</u>	...	118
<u>C. mrigala</u>	...	44
<u>C. batrachus</u>	...	55
<u>Clarias batrachus</u>	...	73
<u>C. batrachus</u>	...	115
<u>Clarias batrachus</u>	...	36
<u>Clupisoma garua</u>	...	68
<u>Crossocheilus latius</u>	...	68
<u>diplochilus</u>	...	52
<u>Cyprinus carpio</u>	...	108
<u>Cyprinus carpio</u>	...	36
<u>C. carpio var communis</u>	...	36
<u>C. carpio var specularis</u>	...	36
<u>Danio devario</u>	...	63
<u>Decapterus spp.</u>	...	86
<u>Diagramma sp.</u>	...	66
<u>Drepane punctata</u>	...	86
<u>Elops saurus</u>	...	63
<u>Engraulis spp.</u>	...	118
<u>Entroplichthys vacha</u>	...	118
<u>Gadusia chapra</u>	...	68
<u>Garra gotyla gotyla</u>	...	113
<u>Garra lamta</u>	...	66
<u>Gastraphysus launaris</u>	...	66 & 86
<u>Gerres filamentos³</u>	...	118
<u>Glossogobius giuris</u>	...	5
<u>Halsydrus sp.</u>	...	66
<u>Hemirahmphus georgii</u>	...	38
<u>H. fossilis</u>	...	51
<u>H. fossilis</u>	...	73
<u>H. fossilis</u>	...	115
<u>Heteropneustes fossilis</u>	...	21
<u>Hilsa ilisha</u>	...	66 & 111
<u>Hippolysmata ensirostis</u>	...	41
<u>H. molitrix</u>	...	94
<u>H. molitrix</u>	...	110
<u>Hypophthalmichthys molitrix</u>	...	66
<u>Kowala coval</u>	...	63
<u>Kurtus spp.</u>	...	118
<u>L. bata</u>	...	118
<u>L. calbasu</u>	...	36
<u>Labeo dero</u>	...	68
<u>Labeo dero</u>	...	113
<u>Labeo dero</u>	...	114

<u>L. dyocheilus</u>	...	36
<u>Labeo fimbriatus</u>	...	118
<u>L. pangusia</u>	...	36
<u>Labeo rohita</u>	...	20
<u>L. rohita</u>	...	44
<u>L. rohita</u>	...	64
<u>L. rohita</u>	...	78
<u>L. rohita</u>	...	118
<u>Lactarius lactarius</u>	...	63
<u>Lagocephalus inermis</u>	...	66
<u>Lates calcarifer</u>	...	27
<u>Leiognathus fasciatus</u>	...	66
<u>Lutianus johni</u>	...	66
<u>Lutianus lineolatus</u>	...	86
<u>L. malabaricus</u>	...	86
<u>Macrobrachium idae</u>	...	66
<u>Macrobrachium kistensis</u>	...	59
<u>Macrobrachium rosenbergii</u>	...	66
<u>Mastacembelus armatus</u>	...	98
<u>M. affinis</u>	...	63 & 92

<u>Metapenaeus previcornis</u>	...	63 & 92
<u>M. dobsoni</u>	...	63
<u>Metapenaeus dobsoni</u>	...	66
<u>M. dobsoni</u>	...	92
<u>Metapenaeus monoceros</u>	...	63
<u>Metapenaeus monoceros</u>	...	66
<u>M. monoceros</u>	...	92
<u>Mugil spp.</u>	...	112
<u>Mugil carinatus</u>	...	18
<u>Mugil carinatus</u>	...	86
<u>M. cephalus</u>	...	18
<u>Mugil cephalus</u>	...	66
<u>M. cephalus</u>	...	86
<u>M. cunnesius</u>	...	18
<u>Mugil cunnesius</u>	...	86
<u>M. macrolepis</u>	...	18
<u>Mugil parsia</u>	...	18
<u>Mugil parsia</u>	...	86
<u>Mugil seheli</u>	...	18
<u>Mugil seheli</u>	...	86
<u>M. tade</u>	...	18
<u>M. tade</u>	...	86
<u>M. waiqiensis</u>	...	18
<u>Mugil waiqiensis</u>	...	86
<u>Muraenesox cinereus</u>	...	23
<u>Mystus aor</u>	...	118

<u>Mystus gulio</u>	...	66
<u>Mystus seenghala</u>	...	118
<u>Mystus vittatus</u>	...	36
<u>Mystus vittatus</u>	...	100
<u>Nemacheilus rupicdla</u>	...	36
<u>Nematalosa nasus</u>	...	86
<u>Nematopalaenos tenuipes</u>	...	45
<u>Nemipterus spp.</u>	...	63
<u>Noemachislu~ botia</u>	...	69
<u>Noemacheilus gracilis</u>	...	69
<u>Noemacheilus kashmirensis</u>	...	69
<u>Noemacheilus marmoratus</u>	...	69
<u>Noemacheilus rupicola</u>	...	69
<u>Noemacheilus vittatus</u>	...	69
<u>Notopterus chitala</u>	...	118
<u>N. notopterus</u>	...	36
<u>Notopterus notopterus</u>	...	118
<u>Opisthopterus tardoore</u>	...	66 & 63
<u>Osteobrama cotio</u>	...	118
<u>Osteogoniosus militaris</u>	...	13
<u>Otolithoides ruber</u>	...	61
<u>Pampus orqenteus</u>	...	66
<u>Pampus chinensis</u>	...	76
<u>Parapenaeopsis hardwickii</u>	...	63
<u>Parapenaeopsis stylifera</u>	...	63
<u>Parapercis alboqutta</u>	...	81
<u>Parapercis clathrata</u>	...	48
<u>Paraplaqusia bilineata</u>	...	53
<u>Paraplaqusia blochi</u>	...	53
<u>Paraplaqusia japonica</u>	...	53
<u>Penacus indicus</u>	...	63
<u>P. indicus</u>	...	66
<u>P. indicus</u>	...	92
<u>P. merquiensis</u>	...	63
<u>Penacus monodon</u>	...	63
<u>P. monodon</u>	...	66
<u>P. monodon</u>	...	92
<u>Polynemus spp.</u>	...	63
<u>Polynemus tetradactylus</u>	...	86
<u>Psenes spp.</u>	...	63
<u>Psettodes spp.</u>	...	63
<u>Psettodes eru mi</u>	...	66
<u>Puntius chilinoides</u>	...	36
<u>Puntius conchoniis</u>	...	68

<u>Puntius sarana</u>	...	118
<u>Rana tigrina</u>	...	71
<u>Rastrelliger kanagurta</u>	... 79 &	123
<u>Rhinomugil corsula</u>	...	118
<u>Rhynodon typus</u>	...	5
<u>Rhynoptera javanica</u>	...	109
<u>Rita rita</u>	...	36
<u>Salmon</u>	...	112
<u>Sardinella albelli</u>	...	88
<u>Sardinella jussieu</u>	...	93
<u>Sardinella longiceps</u>	...	24
<u>Sargus nect</u>	...	86
<u>Saurida spp.</u>	...	63
<u>Scarus bipallidus</u>	...	48
<u>Scatophagus argus</u>	...	66
<u>Schizothorax sp.</u>	...	103
<u>Scolopsis sp.</u>	...	86
<u>Selar mate</u>	...	66
<u>Siganus oramin</u>	...	66
<u>Silonia silondia</u>	...	118
<u>Solesocera indica</u>	...	63
<u>Sphyraena spp.</u>	...	63
<u>S. andhraensis</u>	...	49
<u>Stolephorus bataviensis</u>	...	49
<u>Stolephorus buccaneeri</u>	...	49
<u>Stolephorus commersonii</u>	...	93
<u>Stolephorus devisi</u>	...	49
<u>Stolephorus heterolobus</u>	...	49
<u>Stolephorus heterolobus</u>	...	93
<u>S. macrops</u>	...	49
<u>Tachysurus maculatus</u>	...	13
<u>Tachysurus tenuispinis</u>	...	57
<u>Therapon spp.</u>	...	86
<u>Therapon jarbua</u>	...	66
<u>Thryssa nystax</u>	...	93
<u>Thryssa setirostris</u>	...	93
<u>Thryssa utrirostris</u>	...	93
<u>Tilapia mossambica</u>	...	112
<u>Trichiurus lepturus</u>	...	63
<u>Tor putitora</u>	...	40
<u>Tor putitora</u>	...	75
<u>Tor tor</u>	...	75 & 118
<u>Wallago attu</u>	...	118
<u>Zebrias japonicus</u>	...	91

(Serials are abbreviated according to FAO's World list of periodicals for Aquatic Sciences and Fisheries "and Insdoc's" Directory of Indian Scientific Periodicals, 1968. Reference is given to the serial number of the entry).

<u>Annual Report</u> , CIFRI, 1979	...	8
<u>Aquaculture</u> 1982, <u>26</u> (3-4)	...	51
<u>Curr. Sci.</u> , 1982, <u>51</u> (2)	...	71
<u>Crustaceana</u> , 1980, <u>39</u> (2)	...	25
FAO Fisheries Technical Paper 207 (FARI/T207), FAO, Rome, 69p.	...	11
<u>Fish Technol.</u> , 1981, <u>18</u> (1)	...	1,2,3,16,31, 35,70,77,85, 88,117,118
<u>Fishing Chimes</u> , 1981, <u>1</u> (8)	...	4,26,42,43, 82,107
Fourth Workshop All India Co-ordinated Research Project, Brackishwater Fish Farming 24-25 October, 1981 at Kakinada Centre of the Andhra Pradesh	...	9
<u>ICLARM Newsletter</u> , 1981, <u>4</u> (2)	...	96
<u>Indian J. Fish.</u> , 1979, <u>26</u> (1-2)	...	18,19,23,24, 33,45,49,52, 57,58,59,61, 62,63,66,67, 76,79,80,81, 83,87,92,93, 97,109,111, 116,123
<u>Intensive Agriculture</u> , 1981, <u>19</u> (8)	...	50
<u>Int. J. Ecol. Environ Sci.</u> , 1980, <u>6</u>	...	28,29,30
Jalashri, UAS Students Magazine College of Fisheries, Mangalore	...	90,102

<u>J. Bombay Nat. Hist. Soc.</u> , 1981, 78(3)	...	34,69,91
<u>J. Inland Fish. Soc. India</u> , 1980, 12(1)	...	15,17,20,21,22, 40,41,44,56,65, 73,74,75,78,94, 101,103,104,105, 106,110,115
<u>J. Scient. Ind. Res.</u> , 1981, 40(11)	...	99
<u>Matsya</u> , 1979, No.5	...	13,14,27,38,46, 48,53,54,55,64, 68,98,100,108,113
<u>Res. Bull. Punjab Univ.</u> , 1975, 26(1-4)	...	119,120,121,122
1980, 31(1-4)	...	32,95,114
1981, 32(1-4)	...	36,37
<u>Sci. & Cult.</u> , 1981, 47(9)	...	7
48(1)	...	39
<u>Seafd. Export J.</u> , 1981, 13(11)	...	5,12,86
13(12)	...	89,112
Souvenir of the Seminar on Fresh Water Fish Seed Production, 1982 held at Cuttack on February 17 and 18, 1982	...	72
Summer Institute on Farming System Integrating Agriculture, Livestock and Fish culture, Barrackpore. 6 July - 4 August, 1981	...	10
Vijnana Poshini, 1980, 1(1)	...	6
1(2)	...	47,60,84

